


TR160 V5 Simulator

Assembly Guide



IMPORTANT: Different regions may have different models. Please ensure the part number below matches that on your product's box.

TR1605



TRAK RACER

Published 2024-12-10

TABLE OF CONTENTS

3	Symbol Legend	
4	Part List	
6	Assembly Notes	
9	TR1605 Assembly Instructions	
16	Pedal Option 1	
21	Pedal Option 2	
27	Pedal Option 3	
31	Shifter Option	
37	Stabilizing Feet Option	
39	Adjustable Recliner Seat Assembly (TR-RSB4)	
43	Non-Adjustable Recliner Seat Assembly (TR-RSB-CH)	
46	GT/Rally Seat Assembly (SA09 / SA10)	
48	GT/Rally Seat Assembly (SA11 / SA12 / SA13)	
51	TRX Seat Assembly with Adjustable Brackets (TRX-SB)	
54	Wheel Mount Option 1	
58	Wheel Mount Option 2	
62	Wheel Mount Option 3	
66	Wheel Mount Option 4	



IMPORTANT: Since there are different versions of each product based on your region, please make sure you are using the correct set of instructions. The part number below should match the one on your box.



IMPORTANT: Due to the nature of cut aluminum profiles, some metal shavings may remain despite our thorough QA cleaning process. We recommend opening boxes and packaging on a hard surface.



NOTE: Some screws and washers may be pre-installed. These are included in the parts list and will need to be loosened and reattached according to the instructions.




Recommended: Two people for the task



Tighten the hardware



Keep the hardware loose for adjustments



Make the necessary adjustments



Break the tab off the corner bracket



Safety glasses required



Attention/Priority needed




Reserve for the next step



Mirrored components (same on both sides)


PART LISTS



460mm (18.11")

Aluminum Profile


TR-4040-460 x2



350mm (13.78")

Aluminum Profile


TR-8040-350 x1



580mm (22.835")

Aluminum Profile


TR-8040-580 x1



180mm (7")

Aluminum Profile


TR-12040-180 x2



780mm (30.7")

Aluminum Profile


TR-12040-780 x2



500mm (19.685")

Aluminum Profile


TR-16040-500 x1



500mm (19.685")

Chassis Rear End


TR-16040-500-R x1



1400mm (55.12")


Aluminum Profile

TR-16040-1400 x2




Seat Slider Bar

SS-01 x1




Seat Slider

SS-02 x2




End Cap, 40x40

EC-40 x4




End Cap, 40x80

EC-80 x1




End Cap, 40x120

EC-120 x4




Corner Bracket, 40x40

CB-40 x15



Corner Bracket, 40x160

CB-160 x6




Rubber Feet

FR-01 x6




Front Logo Plate

FLP x1




Wheel Mount N

WM-TR1-FN x2




Wheel Mount Plate

WM-TR1-PP x2




Wheel Side Plate

WM-TR1-WP x2




Shifter Side Plate

BP-80-H x1




Shifter Plate 1

SM-01 x1



Shifter Plate 1


SM-02 x1



Cable Management Clip

CMC x6


PART LISTS



M8 Flange Nut

NF-M8


x2



M8 T-Nut

NS-M8


x78



M8x16 Washer (Flat)

WF-M8-16


x14



M8x20 Washer (Flat)

WF-M8-20


x18



M8 Lock Washer

WL-M8


x22



M8x16 Flat Hex Screw

SF-M8-16


x48



M8x20 Flat Hex Screw

SF-M8-20


x26



M6x16 Cap Hex Screw

SH-M6-16


x2



M8x14 Cap Hex Screw

SH-M8-14


x4



M8x16 Cap Hex Screw

SH-M8-16


x4



M8x20 Cap Hex Screw

SH-M8-20


x21



M8x25 Cap Hex Screw

SH-M8-25


x12



Red Profile Strip

PS-460-R

x2



Red Profile Strip

PS-1400-R

x4




TRAK RACER Sticker


TRS

x2


INCLUDED TOOLS




NOTE



INSTALLATION ORDER FOR SCREWS & WASHERS









HOW TO MEASURE SCREWS



NOTE

BC-40 & CB-40


These brackets come with guide tabs on the rear. These tabs help align the brackets to the profile when fitted in the same orientation as the profile. When used in the alternate orientation, these tabs are designed to snap off for a flush mount against the profile.



NOTE

NS-M8 & NS-M6




Slide T-Nuts into the ends of the profiles. Some must be added early, so follow the steps in this manual carefully.



If you miss one, tilt it in from the outer edge. Use the Allen key to push it into place, ensuring the hole lines up.


Use the provided Allen key to push the T-Nut into position, ensuring that the hole slides into place correctly.

1





x2


Install the TR-4040-460 (460mm) with corner bracket CB-40. Insert NS-M8 nut, place bracket, and secure with SF-M8-16 screw on each end.





2



Press two seat sliders (SS-02) onto the seat slider bar (SS-01) on each side, aligning with the slots.





3a



Place NS-M8 nut from step 1, then attach seat slider on TR-4040-460 with corner bracket.


3b




Press the seat slider bar to lift the handle, reposition to expose mounting holes, align with step 3a nut, and install either SH-M8-14 or SH-M8-16 screws with WL-M8 washers on both sides.

3c

A SH-M8-14










B WL-M8









Press the seat slider bar to lift the handle, reposition to expose mounting holes, align with step 3a nut, and install either SH-M8-14 or SH-M8-16 screws with WL-M8 washers on both sides.








4








5





6





7





If opting for stabilizing feet, go to page 37 for instructions. After installation, return to step 8.








8




9




10



Attach parts from
step 9 to step 10.




Pedal Option 1



NOTE: Hardware to attach pedals to plate not included.
Please use hardware included with your pedal set.


PART LISTS



Hex Screw

SH-M8-20


x8



Hex Screw

SH-M8-25


x4



Washer (Flat)

WF-M8-20


x4



Washer (Lock), M8

WL-M8


x4



Ball Bearing Nut, M8

NS-M8


x4



Feet Plate

PP-NP


x2



Handle Screw

SL-M8-25


x4



Screw (Flat)

SF-M8-20


x10



Flange Nut, M8

NF-M8


x3



Corner Bracket

PP-NP-LB

x2



Plate

PP-80-TP



x1

* NOTE: Extra hardware may be included as spare parts



TR80-PBPL



1




2




3


A SL-M8-25




B NS-M8




C WF-M8-20



D WL-M8





4a





NOTE: Rotate to use upper or lower mount, choose 4a or 4b, then proceed.

4b





5





6




NOTE: After installing the pedal, proceed to page 29 for the shifter options.


Pedal Option 2



NOTE: Hardware to attach
pedals to plate not included.
Please use hardware included
with your pedal set.




PART LISTS



Hex Screw

SH-M8-20


x8



Hex Screw

SH-M8-25


x4



Screw (Flat)

SF-M8-25


x8



Screw (Flat)

SF-M8-16


x8



Ball Bearing Nut, M8

NS-M8


x12



Washer (Flat)

WF-M8-20


x16



Washer (Lock), M8

WL-M8


x16



Pedal Side Plate

PP-NP


x2



Heel Plate

PP-HR-AL


x1



Aluminum Profile

TR-8040-480

x1



Aluminum Profile

TR-4040-480



x2

* NOTE: Extra hardware may be included as spare parts



TR80-PBAL






1



2





3






NOTE: Combine the components from step 1 and step 2 to secure the assembly.

4







5a

A SL-M8-25  M8x25mm x4	B NS-M8  M8 x4	C WF-M8-20  M8x20mm x4	D WL-M8  M8 x4
---	---	---	--




5b


A SL-M8-25  M8x25mm x4	B NS-M8  M8 x4	C WF-M8-20  M8x20mm x4	D WL-M8  M8 x4
---	---	---	--





6



NOTE: Adjust position after pedal and seat installation.



7




NOTE: After installing the pedal, proceed to page 29 for the shifter options.


Pedal Option 3



NOTE: Hardware to attach pedals to plate not included. Please use hardware included with your pedal set.




PART LISTS




Hex Screw

SH-M6-16 x16




Handle Screw

SL-M8-25 x4




Washer (Flat)

WF-M8-20 x32




Washer (Lock), M8

WL-M8 x32




Ball Bearing Nut, M8

NS-M8 x4



Pedal Side Plate

PP-NP x2




Flange Nut, M8

NF-M8 x22




Pedal Side Plate

PP-IN-BR x2




Pedal Top Plate

PP-IN-FR x1




Pedal Side Plate 2

PP-IN-SM x2




Screw (Flat)

SF-M8-15 x4




Screw (Flat)

SF-M8-16 x14




Corner Bracket

PP-NP-LB x2



Plate

PP-80-TP x1



Hex Screw









SH-M8-25 x16

* NOTE: Extra hardware may be included as spare parts





TR80-HYPL





1



2





3



NOTE: Keep slightly loos and adjust Position after seat installation.



Take note of orientation of PP-IN-BR Brackets. They should slope towards Front of the ring.

4





NOTE: Keep slightly loos and adjust Position after seat installation.


5



NOTE: After installing the pedal, proceed to page 29 for the shifter options.










Shifter Option



PART LISTS

BOX #: TR80-SMEX4



 M8x20mm	 M8	 M8	 350mm (13.78")
Hex Screw SH-M8-20 x22	Ball Bearing Nut, M8 NS-M8 x20	Flange Nut, M8 NF-M8 x2	Aluminum Profile TR-8040-350 x1
 580mm (22.83")	 TRAK RACER		 TR
Aluminum Profile TR-8040-580 x1	Aluminum Profile Cap EC-80 x1	Corner Bracket CB-40 x5	Shifter Side Plate BP-80-H x1
 M8x20mm			
Washer (Flat) WF-M8-20 x22	Washer (Lock), M8 WL-M8 x22	Shifter Plate SM-01 x1	Shifter Plate 2 SM-02 x1

* **NOTE:** Extra hardware may be included as spare parts




TR80-SMEX4





1





2










3








4









5








6










7




8




9



Stabilizing Feet Option




PART LISTS



Hex Screw

SH-M8-25


x8



Ball Bearing Nut, M8

NS-M8


x8



Washer (Flat)

WF-M8-20


x8



Washer (Lock), M8

WL-M8


x8



Flange Nut, M10

NF-M10


x4



Nut, M10

NL-M10


x8



Feet Plate

BF-01

x4



Feet Leg Adjustable

FA-01

x4





IMPORTANT: Different regions may have different models. Please ensure the part number below matches that on your product's box.



TR80-NEWFEET



1




2



After step 6 on page 13, follow instructions for stabilizing feet instead of rubber legs, then proceed to step 8.

Adjustable Recliner Seat Bracket




TR-RSB4

TR **TRAK RACER**


1

A Screw





x4




Note: Screws supplied with seat




2






3




Note: Screws supplied with seat & SB-03



4




Note: Slide the slider all the way back to install screws and nuts. Then slide all the way forward and repeat for front screws and nuts.



Non-Adjustable Recline Seat Brackets

Assembly Guide




TR-RSB-CH




1




Note: Screws supplied with seat & SB-03



2





GT/Rally Seat Assembly




SA-09 and SA-10




1



2





GT/Rally Seat Assembly





SA-11/SA-12/SA-13

1




2




3


A SH-M8-16



B WF-M8-20




C WL-M8




4



A SH-M8-16



B WF-M8-20



C NL-M8









TRX Seat Assembly With Adjustable Bracket






TRX-SB




1



2




3




Wheel Mount Option 1

Fanatec Direct Drive Mount



PART LISTS

BOX #: TR80-NWMA




M8x25mm

Hex Screw

SH-M8-25

x12




M8X20mm

Screw (Flat)

SF-M8-20

x12




M8x20mm

Washer (Flat)

WF-M8-20


x8



Washer (Lock), M8

WL-M8

x8




M8

Ball Bearing Nut, M8

NS-M8


x8



Wheel Mount Side

WM-TR1_FN


x2



Wheel Mount Plate

WM-TR1-PP


x2



Wheel Mount Plate 2

WM-TR1-WP

x2



180mm (7")

Aluminum Profile

TR-12040-180





x2

* **NOTE:** Extra hardware may be included as spare parts




TR80-NWMA






1




2










3




Note: Thread screws just enough to hold WM-TR1-FN in place so screws do not protrude past WM-TR1-FN plate.



4






Note: For Fanatec CSL DD
use WM-TR1-FN x 4


Wheel Mount Option 2

Universal Direct Drive Mount

PART LISTS




BOX #: TR80-NWMA



Hex Screw

SH-M8-25


x12



Screw (Flat)

SF-M8-20


x12



Washer (Flat)

WF-M8-20


x8



Washer (Lock), M8

WL-M8


x8



Ball Bearing Nut, M8

NS-M8


x8



Wheel Mount Side

WM-TR1_FN


x2



Wheel Mount Plate

WM-TR1-PP


x2



Wheel Mount Plate 2

WM-TR1-WP

x2




Aluminum Profile

TR-12040-180

x2


BOX #: TR80-NWMDD



Hex Screw

SH-M8-20


x4



Hex Screw

SH-M8-25


x12



Washer (Flat)

WF-M6-16


x2



Washer (Flat)

WF-M8-20


x4



Hex Screw

SH-M6-20

x2



Wheel Mount Drive Plate



WM-DD

x1



*** NOTE:** Extra hardware may be included as spare parts

TR80-NWMA + TR80-NWMDD



1





x2






2




x2










3








Note: Thread screws just enough to hold WM-TR1-FN in place so screws do not protrude past WM-TR1-FN plate.



4




5




Wheel Mount Option 3

Universal Wheel Deck



PART LISTS


BOX #: TR80-NWMA



Hex Screw

SH-M8-25


x12



Screw (Flat)

SF-M8-20


x12



Washer (Flat)

WF-M8-20


x8



Washer (Lock), M8

WL-M8


x8



Ball Bearing Nut, M8

NS-M8


x8



Wheel Mount Side

WM-TR1-FN


x2



Wheel Mount Plate

WM-TR1-PP


x2



Wheel Mount Plate 2

WM-TR1-WP

x2



Aluminum Profile


TR-12040-180

x2

BOX #: TR80-NWM4

* **NOTE:** Extra hardware may be included as spare parts


** **NOTE:** Depending on your region, you may receive WM-WM4 or WM-WM5



Hex Screw

SH-M6-15


x4



Hex Screw

SH-M8-25


x4



Washer (Flat)

WF-M6-16

x4



Wheel Mount Deck Plate





WM-WM4/5

x1





TR80-NWMA + TR80-NWMDD






1




2










3






Note: Thread screws just enough to hold WM-TR1-FN in place so screws do not protrude past WM-TR1-FN plate.




4




5



OPTION 1



OPTION 2





WM-WM4/5 can be installed upside-down for added kneed clearance and lower positioning of wheel base

Wheel Mount Option 4

Universal Direct Drive Mount

PART LISTS


BOX #: TR80-NWMA



Hex Screw

SH-M8-25


x12



Screw (Flat)

SF-M8-20


x12



Washer (Flat)

WF-M8-20


x8



Washer (Lock), M8

WL-M8


x8



Ball Bearing Nut, M8

NS-M8


x8



Wheel Mount Side

WM-TR1-FN


x2



Wheel Mount Plate

WM-TR1-PP


x2



Wheel Mount Plate 2

WM-TR1-WP

x2




Aluminum Profile

TR-12040-180

x2


BOX #: TR80-DDASET



Screw (Hex Round)

SR-M5-20


x4



Screw (Hex Round)

SR-M6-20


x4



Hex Screw

SH-M6-20

x4



Wheel Mount Drive Plate







WM-DD

x1







* **NOTE:** Extra hardware may be included as spare parts

TR80-NWMA + TR80-DDASET




1




2










3




Note: Thread screws just enough to hold WM-TR1-FN in place so screws do not protrude past WM-TR1-FN plate.








4



NOTE: Adjust position after wheelbase and seat installation



5



FINISHED



Share your build online and tag us to be featured!



@trakracer



@trakracer



@trak_racer